

Nr. 01-13-0040-004-01

Declaration of Performance

Version: 01/2014 – Nr. 2

1. Unique identification code of the product-type:	Floor screed	
2. Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11 (4):	2571 – Hey'di Flow Turbo	
3. Intended use or uses of the construction product, in accordance with the applicable harmonized technical specification, as foreseen by the manufacturer:	Dust-reduced, cement-based, fibre-reinforced, self-levelling screed for indoor use.	
4. Name, registered trade name or registered trade mark and contact address of the manufacturer as required under Article 11(5):	Hey'di AS, Postboks 13, 2017 Frogner. heydi@heydi.no	
5. When applicable, name and contact address of the authorized representative whose mandate covers the tasks specified in Article 12(2):	Not relevant	
6. Systems or systems of assessment and verification of constancy of the construction product as set out in CPR, Annex V:	System 4	
7. In case of the declaration of performance concerning a construction product covered by a harmonised standard:	NS-EN 13813. Toxicon AB, Rosenhällsvägen 29, SE-261 92 Härslöv, EU-Notified Body No. 7843	
8. Declared performance	Not relevant	
<i>Essential characteristics</i>	<i>Performance</i>	<i>Harmonised technical specification</i>
Compressive strength	C30	NS-EN 13892-2
Flexural strength	F7	NS-EN 13892-2
Methanal (formaldehyde) – 3 days	< 0,2 µg/m ³	ISO 16000-10, 16000-3, 16000-6
Ethanal (acetaldehyde) – 3 days	< 0,2 µg/m ³	ISO 16000-10, 16000-3, 16000-6
Ammoniak – 3 days	< 0,2 µg/m ³	ISO 16000-10, 16000-3, 16000-6
TVOC – after 3 days	8 µg/ m ³	ISO 16000-10, 16000-3, 16000-6
TVOC – after 28 days	<0,5 µg/ m ³	ISO 16000-10, 16000-3, 16000-6
TSVOC – after 28 days	<0,5 µg/ m ³	ISO 16000-10, 16000-3, 16000-6
Resistance to fire	A1	NS-EN 13501-1



9. The performance of the product identified in points 1 and 2 is in conformity with the declared performance in point 8. This declaration of performance is issued under the sole responsibility of the manufacturer identified in point 4.

Frogner,
16.01.14

R & D Manager
Bjørn Bonsak

A handwritten signature in blue ink that reads "Bjørn Bonsak". The signature is written in a cursive style and is positioned to the right of the printed name.

Sted/dato

Navn/stilling

Signatur